e-Tender Document for

Supply and Installation of Lab *Equipment* at

CIPET: SARP- LARPM, Bhubaneswar



TENDER DOCUMENT NO. - 07/2020-21

LAST DATE FOR SUBMISSION OF BID: 26.02.2021

probe • perform • practice • Plastics

SCHOOL FOR ADVANCED RESEARCH IN POLYMERS (SARP) - LARPM
CENTRAL INSTITUTE OF PETROCHEMICALS ENGINEERING & TECHNOLOGY
(Ministry of Chemicals & Fertilizer, Govt. of India)
B-25, C.N.I. Complex, Patia, Bhubaneswar – 751 024 (Odisha)
Tel: 0674-2740173, Fax: 0674-2740463,

Web: cipet.gov.in, e-mail : larpmcipet@larpm.in



SCHOOL FOR ADVANCED RESEARCH IN POLYMERS (SARP) - LARPM CENTRAL INSTITUTE OF PETROCHEMICALS ENGINEERING & TECHNOLOGY

(Dept. of Chemicals & Petrochemicals, Ministry of Chemicals & Fertilizer, Govt. of India) B-25, C.N.I. Complex, Patia, Bhubaneswar – 751 024 (Odisha)

Tel: 2740173, Fax: 0674-2740463 Email : larpmcipet@larpm.in

e-TENDER NOTICE (07/2020-21)

CIPET: SARP-LARPM, Bhubaneswar invites bids through e-Tender UNDER SINGLE STAGE TWO BIDSYSTEM IN e-TENDER PORTAL (www.tenderwizard.com/CIPET) from Reputed Suppliers/ Manufacturers / Authorized Dealer & Distributors for supply & installation of the equipment at CIPET: SARP-LARPM, Bhubaneswar. Bid offers should be of two parts viz., Technical Bid & Commercial Bid.

SI. No.	Name of the Equipment	Tender No.
1.	Electrochemical Workstation With Impedance Spectroscopy System	07/2020-21

Bidders are requested to visit the web-site www.tenderwizard.com/CIPET or www.cipet.gov.in and submit their offers electronically. It may be noted that offers submitted manually or the offers sent by post shall not be accepted. The last date for submission of the bid is as mentioned below:

Last date for the online submission of the bid : 26.02.2021, 03.00 P.M.

Opening of Technical bid : 26.02.2021, 03.30 P.M.

Opening of Commercial bid : After Evaluation of Technical Bid

For further clarification, please contact no. 0674-2740173

Note :- Further if any e-Tender queries please contact the following officials of <u>e-tender wizard</u>:

SI. No.	Name of the Official	Contact Number	e-mail ID
01.	Mr. S.K. Mohapatra	7377708585	twhelpdesk404@gmail.com
02.	Mr. Swades Kumar Bal	7008064095	twhelpdesk887@gmail.com swadesh.k@etenderwizard.com

CIPET:SARP-LARPM reserves the absolute right to accept/reject any or all bids at any stage of the tender process without assigning any reason whatsoever.

Asst. Admin. Officer, CIPET:SARP-LARPM

INSTRUCTIONS TO BIDDERS

(A) Introduction

School for Advanced in Research (SARP) - LARPM is an exclusive R&D wing of CIPET functioning at Bhubaneswar. SARP-LARPM was set up with an objective of developing high-end polymeric materials for various engineering applications in the areas of packaging, automotives, aerospace, defense, biomedical, energy conversion and energy storage etc. The laboratory has high-end characterization facility and basic amenities under one roof, for Researchers and Intellectuals working in the areas of Polymer Science & Technology. The laboratory is also recognized by National Accreditation Board for Testing and Calibration Laboratories (NABL) as per ISO:IEC 17025:2005 and DST / DSIR, Govt. of India for undertaking Research Activities in applied areas of Polymer Science & Technology.

(B) The Bidding Documents

• Content of Bidding Documents

The Bidding Documents include:

- (a) Instruction to Bidders;
- (b) Terms and Conditions of Contract;
- (c) Schedule of Requirements;
- (d) Technical Specifications & Compliance Sheets;
- (e) Manufacturer's Authorization Form;
- (f) Bid Form and Price Schedules;
- (g) Contract Form;
- (h) Deviation Statement;
- The Bidder is expected to examine all instructions, forms, terms and specifications in the Bidding Documents. Failure to furnish all information required by the Bidding Documents or submission of a bid not substantially responsive to the Bidding Documents in every respect will be at the Bidder's risk and may result in rejection of the bid.

Amendment of Bidding Documents:

- At any time prior to the deadline for submission of bids, the Purchaser may, for any reason, whether at their own initiative or in response to a clarification requested by a prospective bidder, modify the Bidding Documents by amendment.
- In order to afford prospective Bidders reasonable time in which to take the amendment into account in preparing their bid, the Purchaser may, at their discretion, extend the deadline for the submission of bids

(C) Eligible Criteria for Bidders:

- Balance sheet & PL Account statement for the last 3 financial years (2016-17,2017-18, 2018-19)
- IT return for the last three (03) Assessment years (2017-18,2018-19,2019-20) & submit PAN Card, GST Registration Certificate.
- The Bidders must have satisfactorily supplied & completed installation of similar type of Instrument at-least 02 nos. in any Govt. Organisations/PSU/Corporate Sectors during the last 5 years. The Certificate in support of that from the user must be attached.
- Average Annual Turnover certificate for the last financial year of Rupees 50 Lakh or more certified by Chartered Accountant.

- Self-declaration on NO PENDING LITIGATION along with he is Not Debarred/ Blacklisted or Banned from any Central Government / PSU / State Govt. / any Corporate Sector.
- The vendor shall have local service and application office and infrastructure to attend visit within 48 hours.
- The bidders shall give a self-declaration of his relatives working with the CIPET along with their designations and addresses.
- Only Original Equipment Manufacturer (OEM) or Authorised Dealer can participate.
- The bidder should sign & seal each page of the tender document and required to upload.

(D) Terms & Conditions:

- Taxes: All taxes, duties, packing, forwarding& installation have been included in the quoted rate. GST should be charged 5% only, since CIPET is having DSIR certificate.
- Performance Security: 10% of the Purchase Order value shall be submitted by the party towards performance security within 7 days of receipt of Purchase Order in the form of Demand Draft. The Performance Security will be refunded after warranty period is over.
- Warranty: The Instrument should be covered under 1 year warranty from the date of installation and commissioning with maintenance must be provided in order to keep the equipment in continuous working condition. Part numbers of all parts for which warranty will not be applicable should be specified in the quotation
- **Delivery Period:** Supplier should be delivered the instrument within 4-6 weeks from the date of receipt of Purchase Order, failing which liquidated damage @ 0.5% per week shall be deducted from the final payment, for each week of delay beyond the delivery period up to maximum of 2%.
- Payment: 90% after supply of Instrument & balance 10% after successful installation, commissioning & Training as per our Technical Specifications & subject to fulfilment of other terms & conditions of the e-Tender documents.
- The Bidder shall provide the Bank accounts details along with Scanned copy of cancelled cheque for onward transaction.
- The vendor should furnish details of customers for the respective equipment in India.
- The vendor should have technical support in the area of application and service available within the country.
- In case of any up-gradation of software then the same should be provided free of cost by the supplier/manufacturer.
- Appropriate tool box/kit for routine maintenance should be provided with the equipment

- On-site (at SARP-LARPM, Bhubaneswar) installation, demonstration and training for system operation and maintenance as well as application support should be provided by the vendor at its own cost.
- Bidder should specify & provide all mandatory and other accessories required for installation, commissioning and running the machine.
- The repairing/rectification/replacement/configuration required, if any, of the items under warranty must be done at CIPET:SARP-LARPM, Bhubaneswar by the bidder.
- The Annual Maintenance Charges (AMC) for 3 Years should be quoted separately (Optional), which should not be quoted in the Price Bid.
- The supplier should mention the make & model against the equipment.
- Spares: The supplier must confirm in writing on its letter pad that the spares for the instrument will be available for a period of at least 05 (Five) years after the Instrument supplied.
- **Bid document:** The vendor should read the e-Tender documents carefully before quoting. It shall be deemed that the vendor has gone through the documents carefully and has understood its implication.
- **Technical bid:** The Technical Bid should accompany with full technical literature, leaflets of the technical features of the Instrument must be submitted for evaluation.
- Manual: Complete set of service manual for diagnostics, trouble shooting and maintenance along with electronic circuit diagram (in English) – hard and soft copy should be provided with the instrument
- The e-Tender, submitted by the Bidder who have already been declared as Black Listed or whose contract was terminated for dissatisfactory supply or who was unable to supply any Institute/Organization run by the State / Central Government / PSU / Corporate Sectors will not be considered even his being the lowest rate.
- The Bidder should provide relevant documents regarding the Partnership Firm/Public/Pvt. Ltd. Company/Cooperative society.

pe - perform - practice - Plastics

• Any legal disputes subject to Bhubaneswar, India jurisdiction only

Pre-Requisites

- Pre-installation requirements indicating details of power requirement, utility air, water, ventilation, safety device, if any, along with the foundation requirement needed for installation & commissioning should be provided prior to supply of Machine.
- Appropriate tool box/kit for routine maintenance should be provided with the equipment
- All documents (i.e. operating & service manuals, drawings etc.) and original software relevant to the instrument and its accessories must be supplied.
- Power and receptacle/socket as per Indian Standards should be provided.
- The vendor shall visit within 48 hours of requirement.

Training

- Training at vendor site and onsite for system operation and maintenance as well as application support should be provided by the vendor at its own cost.
- Prices quoted should be on Delivered Duty Paid (DDP) basis to CIPET:SARP-LARPM, Bhubaneswar.

Delivery and Documents

(a) For Imported Goods

- Original and three copies of Supplier's invoice showing Goods description, quantity, unit price, total amount.
- ➤ Original and three copies of the negotiable clean, on —board bill of lading marked freight prepaid and three copies of non-negotiable bill of lading.
- Five Copies of packing list identifying contents of each package.
- Insurance Certificate.
- Manufacturer's /Supplier's guaranty certificate.
- > Traceable Calibration Certificate issued by Accredited Calibration agency and
- Certificate of Origin.

(b) For Domestic Goods:

Original and Three copies of:

- Copies of the Supplier invoice showing Goods description, quantity, unit price, total amount.
- Railway receipt /Acknowledgement of receipt of goods from the consignee(s);
- Manufacturer's /Supplier's guarantee Certificate;
- Traceable Calibration Certificate issued by Accredited Calibration agency,
- Certificate of origin and
- ➤ Document evidence for GST Registration /Octroi etc., wherever applicable, bearing seal of office of issue indicating payments made extra.

The above documents shall be received by the Purchaser before arrival of the goods (expect where the goods have been delivered directly to the consignee with all documents) and if not received, the supplier will be responsible for any consequent expenses.

perform * practice * Flastics

Warranty/Guarantee

- ➤ The Supplier warrants that the Goods supplied under this Contract are new, unused, of the most recent or current models and incorporate all recent improvements in design and materials unless provided otherwise in the Contract. The Supplier further warrants that the Goods supplied under this Contract shall have no defect arising from design, materials or workmanship (except insofar as the design or material is required by the Purchaser's Specifications) or from any act or omission of the supplier, that may develop under normal use of the supplied Goods in conditions obtaining in the country of final destination.
- ➤ This warranty/guarantee shall remain valid for 12 months after the Goods or any portion thereof as the case may be, have been delivered and Commissioned at the final destination indicated in the Contract.

- ➤ The Purchaser shall promptly notify the Supplier, in writing, of any claims arising under this warranty.
- ➤ Upon receipt of such notice, the Supplier shall, with all reasonable speed, repair or replace the defective Goods or parts thereof, without cost to the Purchaser.
- ➤ If the Supplier, having been notified, fails to remedy the defect(s) within a reasonable period, the Purchaser may proceed to take such remedial action as may be necessary, at the Supplier's risk and expense and without prejudice to any other rights which the Purchaser may have against the Supplier under the Contract.
- ➤ The Supplier must provide the following warranties:
 - (a) The equipment proposed is Complete in every way
 - (b) The hardware/software specification, Capabilities and performance characteristics are as stated in the bidder's proposal and accompanying documentation.
 - (c) The supplier will offer to the Purchaser all technological updates, cost reductions and facilities, which are offered to other clients, in India, during the Contract tenure.

If the supplier is acting directly for the manufacturer of the Goods and Services, the Manufacture must honor these guarantee.

The MAINTENANCE SERVICE shall be as follows.

- (a) Free maintenance services shall be provided by the Supplier during the period of warranty.
- (b) The maximum response time for maintenance complaint from any of the destination specified in the Schedule of requirements (i.e. time required for supplier's maintenance engineer to report at the installation after a request call/email is made or letter is written) shall not exceed 24 hours.

• Liquidated Damages:-

If the Supplier fails to deliver any or all of the goods within the time period(s) specified in the Contract, the Purchaser shall, without prejudice to its other remedies under the contract, deduct form the Contract Price, as liquidated damages, a sum equivalent @ 0.5% per week shall be deducted from the final payment, for each week of delay beyond the delivery period upto maximum of 2% of the delayed goods or services Contract price. Once the maximum is reached, the purchaser may consider termination of the contract

(E) Preparation of Bids

1. Bid Form

The Bidder shall complete the Bid Form and the appropriate Price Schedule furnished in the Bidding Documents, indicating for the goods to be supplied, a brief description of the Goods, their country of origin, quantity and prices

2. Agents and service facilities in India:

If a foreign bidder has engaged an Indian agent, it will be required to give the following details in the offer:

- (i) The name and address of the local agent;
- (ii) What service the agent renders; and
- (iii) The amount of remuneration for the agent included in the offer

3. Documents establishing Bidder's Eligibility and Qualifications

- > The Bidder shall furnish, as part of its bid, documents establishing the bidder's eligibility to bid and its qualifications to perform the Contract if its bid is accepted.
- > The documentary evidence of the Bidder's qualifications to perform the Contract if its bid is accepted, shall establish to the Purchaser's satisfaction:
 - In the case of a Bidder offering to supply goods under the contract which the Bidder did not manufacture or otherwise produce, the Bidder has been duly authorized by the goods manufacturer or producer to supply the goods in India.
 - (b) In the case of a Bidder not doing business within India, the Bidder is or will be (if successfully represented by an agent in India) equipped and able to carry out the Supplier's maintenance, repair and spare-parts stocking obligations prescribed by the Conditions of the Contract and / or Technical Specifications
 - The Bidder has the financial, technical, and production capability necessary to (c) perform the Contract and meets the criteria outlined in the qualification criteria specified as per the Tender norms.

4. Period of Validity of Bids

Bids shall remain valid for 120 days after the date of bid opening prescribed by the Purchaser. A bid valid for a shorter period may be rejected by the Purchaser as nonresponsive.

5. Submission of Bids

The detailed technical specification of the equipment is enclosed in the Bid document, Offer should be of two parts Viz., "TECHNICAL BID" and "COMMERCIAL BID" The content of the both bids should be as under:

(a) TECHNICAL BID should include the following:-

- ✓ Detailed specification of the base equipment (Product Make & Model) along with the specification of accessories, which are included in the Base unit.
- ✓ Scope of supply
- ✓ Deviation Statement✓ Product Literature/Brochure
- ✓ Proforma for Performance Statement
- ✓ Qualification Criteria
- List of spare parts included (without quoting the price) (the acceptance and rejection of spare parts will be at sole discretion of CIPET:SARP-LARPM)
- ✓ List of optional accessories with their technical specification. (without quoting the price)
- ✓ Manufacturer's Authorization Form
- ✓ Bid Form
- ✓ Any other information which the bidder would like to state about the technically of the equipment.

(b) COMMERCIAL BID should include the following:-

- ✓ Statement showing the price of the each items of spare parts which is mentioned in the Technical Bid
- ✓ Conditional bids will not be accepted. The condition laid down by CIPET:SARP-LARPM is final and binding on all bidders.
- ✓ The quote should be in Indian Currency (INR).
- ✓ CIPET:SARP-LARPM reserves the right to accept or reject any or all tenders either in part or in full without assigning any reasons thereof.

The bids, which are not containing the statements, mentioned in 5 (i) (a) & (b) are liable to be rejected.

- The proforma of Annexures in the Bidding document, wherever necessary, should be typed on the bidder's letter head and upload the same.
- Price Schedule should be submitted in the prescribed format given under price schedule of the Bidding Document.
- The Deviation Statement enclosed should be duly filled in and submitted along with Bidding Document. If the bidder is offering more than one options/models a separate. Deviation statement for each of such quotes should be submitted along with the offer.
- Quotes received without price schedule and deviation statement as per our prescribed format, will summarily be rejected.
- Relaxation of Norms for Startup and Micro & Small Enterprises in Public Procurement on Prior Experience – Prior Turnover Criteria is applicable; hence the MSME/NSIC certificate should be submitted.
- In Pursuance of Rule 153 (iii) of GFR-2017, preference to "Make in India" shall be given in procurement.
- Restriction of Bidders from Countries sharing Land Borders with India: vide Department of Expenditure, MOF, Govt. of India OM No. 6/18/2019-PPD date: 23/07/2020 and its subsequent order dated 23.07.2020 and 24.07.2020 is applicable in this tender.

6. Deadline for Submission of Bids

The Purchaser may, at its discretion, extend this deadline for submission of bids by amending the Bid Documents, in which case all rights and obligations of the Purchaser and Bidders previously subject to the deadline will thereafter be subject to the dead-line as extended.

7. Evaluation and Comparison of Bids

- The Purchaser will evaluate and substantially responsive.
- The availability of spare parts in India and after-sales services for the equipment offered (imported goods) – in the bid; (the inclusion of cost of spare parts for comparison as per requirement will be at sole discretion of CIPET:SARP-LARPM. Also, CIPET:SARP-LARPM reserves right to accept any bid and to reject any bid or all bids.

(F) Award of Contract

Post Qualification

- The Purchaser will determine to its satisfaction whether the Bidder selected as having submitted the lowest evaluated responsive bid is qualified to satisfactorily perform the Contract.
- The determination will take into account the Bidder's financial, technical and production capabilities. It will be based upon an examination of the documentary evidence of the Bidder's qualifications submitted by the Bidder as well as such other information as the Purchaser deems necessary and appropriate.
- An Affirmative determination will be a prerequisite for award of the Contract to the Bidder. A negative determination will result in rejection of the Bidder's bid.

Purchaser's right to vary Quantities at Time of Award

- ➤ The Purchaser reserves the right at the time of award of Contract to increase or decrease of the quantity of goods and services specified in the Schedule of Requirements without any change in price or other terms and conditions.
- Purchaser's Right to Accept any Bid and to Reject Any or All Bids

➤ The Purchaser reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids at any time prior to award of Contract, without thereby incurring any liability to the affected Bidder or Bidders or any obligation to inform the affected Bidders or Bidders of the grounds for the purchaser's action.

SECURITY DEPOSIT/ PERFORMANCE GUARANTEE

1. Successful bidder has to submit Performance Guarantee/Security deposit equivalent to 10% of the amount of Purchase Order value in the form of fixed deposit of a nationalized bank in favour of CIPET LARPM Payable at Bhubaneswar which should be valid for a period of 60 days beyond the completion of the contractual obligations by the bidder. In case, the contract is further extended beyond the initial period, the performance security will have to be accordingly renewed by the bidder. The same will be returned after the completion of contract without interest.

FORFEITURE OF SECURITY DEPOSIT/PERFORMANCE GUARANTEE

- 1. If the successful bidder refuses/fails to accept the Letter of Intent (LOI)/Purchase Order issued by CIPET:SARP-LARPM, Bhubaneswar or the work assigned to the bidder are not done as per the scope of work/schedule of requirement, Security Deposit will be forfeited and the bidder will not be entertained for any tenders that may be published in future by CIPET:SARP-LARPM, Bhubaneswar.
- 2. If the contract is terminated by CIPET:SARP-LARPM, Bhubaneswar due to poor performance/violation(s) of any clause(s) of the agreement or for any bad acts considered prejudicial by CIPET Centre of the selected bidder, Performance Guarantee will be forfeited.

JURISDICTION FOR DISPUTE REDRESSAL

 All disputes or differences whatsoever arising between the parties out of or relating to the meaning and operation of effect of the purchase order or the breach thereof shall be subject to courts at CIPET:SARP-LARPM, Bhubaneswar.

probe · perform · practice · Plastics

MANUFACTURER'S AUTHORIZATION FORM

Noda	itea			
	Research in Polymers – L	ARPM,		
Bhubaneswar-75 <mark>1024</mark>	mplex, P.O: KIIT, Patia, , India.			
Dear Sir Ref: Bid Reference				
				le
		_		
	and	do	hereby authoriz	œ.
M/s				
M/s				
M/s			etc (Name an	ıd
	bid and conclude the cont		•	
• .	e contract in regard to this			~
to bid dila concidac tri	o dontrade in regard to thic	buomood agamot and op	oomo Bia.	
	·full guarantee and warrar supply against this invitatio			or
	LDET	Yours	Faithfully,	
		141 4	,	
	`	me)		
pro	be performing	and on behalf of M/s ame of Manufactures)	FICS	
	(IVa	anie or ivianulactures)		

Note: This letter of authority should be on the letterhead of the manufacturing concern and should be signed by a person competent and having the power of attorney to bind the manufacturer

	<u>PROFC</u>	ORMA FOR DEVIATION STA	TEMENT	
Bid Ref No.	Date	e of Opening	Time :	
Name of the Firm				
Name of the Equipment que	oted			
Model No.:				
Purchaser's Specification	Bidders Specification	D <mark>eviatio</mark> n, if any	Justification	Remarks
Purchaser's Specification	Bidders Specification	Deviation, if any	Justification	Remarks

Note: Separate Deviation statements should be submitted along with the bid for all models / alternative quotes.

TECHNICAL SPECIFICATION

- Potentiostat/Galvanostat/EIS analyzer designed for electrochemical research over a broad spectrum of applications.
- The channel should be electrically isolated; floating ground and should operate in single cell-multiple working electrode combination.

NAME	: 1. ELECTROCHEMICAL WORKSTATION WITH IMPEDANCE SPECTROSCOPY SYSTEM					
QUANTITY	: 01 No.					
Make	Bidder to specify					
Model	Bidder to specify					
Application Includes	Battery, Supercapacitors, Photovoltaic & solar cell test, Fuel cell & Biofuel cell test, Corrosion & Coatings, EIS, Electrochroms, Sensors, Photoelectrochemistry, Fundamental Electrochemistry, Electrodeposition, Electroanalysis, Electrosynthesis					
Compliance voltage	±10V or better					
Applied Potential range	±10V or better					
Current Ranges	10μA to 1A					
Applied Current	±10nA to ±400mA or better					
EIS	10µHz-1MHz or more					
Voltage Resolution	5μV or better					
Current Resolution	Should be 760 fA or better					
Accuracy	±0.1% FSR or better					
Acquisition time	20 µs or better					
Acquisition speed	100,000 samples/second or better					
AC Amplitude (Peak to Peak)	1 mV to 1V or more					
Bandwidth of electrometer	1 MHz or better					
Input Impedance	10^12 Ω or 1TΩ					
Cell connection/ Electrode	2, 3, 4 Terminal Leads (+ ground)					
Configuration	orm - practice - Plastics					
Auxiliary inputs/outputs	 2 Analog Inputs and 1 Analog Output, to control external accessories like RRDE, Temperature Probe, Temperature and Humidity Chambers, etc. 1 Digital Inputs and 1 Digital Output should be available. 					
Calibration Board	 Calibration of Potentiostat channel with cables should be available on-site and calibration reports must be printed as on when required. 					
Interface	Ethernet LAN and USB					
Software's required	 Fundamental Electrochemistry – OCV, CV, LSV, Batteries, supercapacitors, Fuel cell/photovoltaic testing Techniques. GEIS, PEIS -Electrochemical Impedance Spectroscopy Technique. Corrosion software including LPR, Tafel, etc. Pulse software including DPV, NPV, RNPV, SWV, 					

etc. Simultaneous impedance measurement in WE Equivalent EIS fitting circuit software. Analysis tools for Corrosion Rp and Taf battery CED fit. 3D View should be available Should include Drift Correction in the Technique which corrects the drift of the sys needs to be used when the system had reached its steady-state regime (specificated low frequencies measurements). Should include EIS Quality Indicators for the Simulation of the Sim	el Fit, e EIS tem. It
 Equivalent EIS fitting circuit software. Analysis tools for Corrosion Rp and Taf battery CED fit. 3D View should be available Should include Drift Correction in the Technique which corrects the drift of the sys needs to be used when the system har reached its steady-state regime (specification low frequencies measurements). Should include EIS Quality Indicators for the Should include of the S	e EIS tem. It
 Analysis tools for Corrosion Rp and Taf battery CED fit. 3D View should be available Should include Drift Correction in the Technique which corrects the drift of the sys needs to be used when the system har reached its steady-state regime (specification low frequencies measurements). Should include EIS Quality Indicators from the Should Include EIS Quality Indica	e EIS tem. It
 battery CED fit. 3D View should be available Should include Drift Correction in the Technique which corrects the drift of the sys needs to be used when the system has reached its steady-state regime (specification low frequencies measurements). Should include EIS Quality Indicators from the Should include in the Sh	e EIS tem. It
 3D View should be available Should include Drift Correction in the Technique which corrects the drift of the sys needs to be used when the system had reached its steady-state regime (specificated low frequencies measurements). Should include EIS Quality Indicators from the Should include include include in the Should include include	tem. It as not
 Should include Drift Correction in the Technique which corrects the drift of the sys needs to be used when the system has reached its steady-state regime (specifical low frequencies measurements). Should include EIS Quality Indicators from the Technique Properties 	tem. It as not
Technique which corrects the drift of the sys needs to be used when the system had reached its steady-state regime (specificate low frequencies measurements). Should include EIS Quality Indicators for the system of the system	tem. It as not
needs to be used when the system hat reached its steady-state regime (specification low frequencies measurements). • Should include EIS Quality Indicators for the system has reached its steady-state regime (specification).	as not
reached its steady-state regime (specification low frequencies measurements). • Should include EIS Quality Indicators from the steady-state regime (specification).	
low frequencies measurements). • Should include EIS Quality Indicators f	,
Should include EIS Quality Indicators f	
	or an
Impedance experiment validation and should	d fulfill
various requirements for THD (Total Har	
Distortion), NSD (Non-Stationary Distortion	ı) and
NSR (Noise to Signal Ratio).	
OEM Package and Lab View drivers show	ald be
available.	
Accessories. • Ag/AgCl reference electrode: 1 No. Should b supplied.	е
Pt Counter Electrode: 1 No. Should be supple	ied.
Alligator clips-10 Nos	
Compatible Cell kit (with gas purging option)	for
the above Electrodes.	
Saturated Calomel Electrode – 1	
Reference Electrode (Hg/HgO) – 1	
Optional Accessories. • Glassy Carbon Electrode -1	
Another set of electrodes:	
Ag/AgCl reference electrode: 1 Biographic Standard Ag/AgCl reference electrode: 1	
Pt Counter Electrode: 1 Seturated Colored Electrode 1	
Saturated Calomel Electrode – 1 Peference Electrode (Hg/HgO) 1	
 Reference Electrode (Hg/HgO) – 1 Branded Personal Computer (i5 Processor) 	
□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	

probe · perform · practice · Plastics

TECHNICAL COMPLIANCE SHEET OF ELECTROCHEMICAL WORKSTATION WITH IMPEDANCE SPECTROSCOPY SYSTEM

Parameters	Details	Compliance	
Make	Bidder to specify		
Model	Bidder to specify		
Application Includes	Battery, Supercapacitors, Photovoltaic & solar cell test, Fuel cell & Biofuel cell test, Corrosion & Coatings, EIS, Electrochroms, Sensors, Photoelectrochemistry, Fundamental Electrochemistry, Electrodeposition, Electroanalysis, Electrosynthesis		
Compliance voltage	±10V or better	77	
Applied Potential range	±10V or better		
Current Ranges	10μA to 1 <mark>A</mark>		
Applied Current	±10nA to ±400mA or better		
EIS	10µHz-1M <mark>Hz or m</mark> ore	As a second seco	
Voltage Resolution	5μV or be <mark>tter</mark>	A	
Current Resolution	Should be 760 fA or better		
Accuracy	±0.1% FSR or better		
Acquisition time	20 µs or better		
Acquisition speed	100,000 samples/second or better		
AC Amplitude (Peak to Peak)	1 mV to 1 <mark>V or mo</mark> re		
Bandwidth of electrometer	1 MHz or b <mark>etter</mark>		
Input Impedance	10^12 Ω or 1TΩ		
Cell connection/ Electrode Configuration	2, 3, 4 Terminal Leads (+ ground)		
Auxiliary inputs/outputs	 2 Analog Inputs and 1 Analog Output, to control external accessories like RRDE, Temperature Probe, Temperature and Humidity Chambers, etc. 1 Digital Inputs and 1 Digital Output should be available. 	l C Plastics	
Calibration Board	Calibration of Potentiostat channel with cables should be available on-site and calibration reports must be printed as on when required. The root LAN and LICE.		
Interface	Ethernet LAN and USB		
Software's required	 Fundamental Electrochemistry – OCV, CV, LSV, Batteries, supercapacitors, cell/photovoltaic Techniques. GEIS, PEIS -Electrochemical Impedance Spectroscopy 		

	Table
	Technique. Corrosion software including LPR, Tafel, etc. Pulse software including DPV, NPV, RNPV, SWV, etc. Simultaneous impedance measurement in CE & WE Equivalent EIS fitting circuit software. Analysis tools for Corrosion Rp and Tafel Fit, battery CED fit. 3D View should be available
	Should include Drift Correction in the EIS Technique which corrects the drift of the system. It needs to be used when the system has not reached its steady-state regime (specifically for low frequencies)
	measurements). Should include EIS Quality Indicators for an Impedance experiment validation and should fulfill various requirements for THD (Total Harmonic Distortion), NSD (Non-Stationary Distortion) and NSR (Noise to Signal Ratio). OEM Package and Lab View drivers should be available.
Accessories.	 Ag/AgCl reference electrode: 1 No. Should be supplied. Pt Counter Electrode: 1 No. Should be supplied. Alligator clips-10 Nos Compatible Cell kit (with gas purging option) for the above Electrodes. Saturated Calomel Electrode – 1 Reference Electrode (Hg/HgO) – 1
Optional Accessories.	 Glassy Carbon Electrode -1 Another set of electrodes: Ag/AgCl reference electrode: 1 Pt Counter Electrode: 1 Saturated Calomel Electrode – 1 Reference Electrode (Hg/HgO) – 1 Branded Personal Computer (i5 Processor - 1

ANNEXURE-I

TECHNICAL BID DOCUMENT

1.	Name of the Dealer/Manufacturer					
2.	Profile of the Dealer/Manufacturer					
3.	Name of Proprietor/Director of the Dealer/ Manufacturer					
	Full Address of Registered C	Office of D	ealer/Ma	nufacturer		
	(a) Telephone No.				_	
4.	(b) Fax No.				3(0)	
	(c) Mobile No.				17.10	3
	(d) e-Mail No.					
5.	Correspondence address of	office of D	Dealer/M	anufacturer		
6.	Full address of branch office	of Dealer	/Manufa	cturer		
7.	PAN No.	1				
8.	GST No.					
	Original Equipment Manufac	turor (OE	M/N/Autho	orized		
9.	Dealer of the Equipment	turer (OE)	wi <i>ji A</i> uti ic	711200		
9.		r/Manufacelow three	cturer for	the last thre		, ·
9.	Dealer of the Equipment Annual turnover of the Deale turnover statement for the be	r/Manufacelow three	cturer for	the last thre		tely, duly certified by the
9.	Dealer of the Equipment Annual turnover of the Deale turnover statement for the be	r/Manufa elow three attached)	cturer for assessr	the last thre		, ·
	Dealer of the Equipment Annual turnover of the Deale turnover statement for the be chartered accountant, to be a	r/Manufa elow three attached)	cturer for assessr	the last thre		tely, duly certified by the Average > 50 Lakh
	Dealer of the Equipment Annual turnover of the Deale turnover statement for the be chartered accountant, to be a Assessment Year	r/Manufa elow three attached)	cturer for assessr	the last thre		tely, duly certified by the Average > 50 Lakh
	Dealer of the Equipment Annual turnover of the Deale turnover statement for the be chartered accountant, to be a Assessment Year 2016-17	r/Manufa elow three attached)	cturer for assessr	the last thre		tely, duly certified by the Average > 50 Lakh
	Dealer of the Equipment Annual turnover of the Deale turnover statement for the be chartered accountant, to be a Assessment Year 2016-17 2017-18	er/Manufacelow three cattached) And the control of	cturer for	in Lakh)	nancia	Average > 50 Lakh Remarks, if any al year (a copy of the
	Annual turnover of the Deale turnover statement for the be chartered accountant, to be a Assessment Year 2016-17 2017-18 2018-19 Balance Sheet & PL Accountant	er/Manufacelow three eattached) And the statement the below	cturer for the three fire	in Lakh)	nancia	Average > 50 Lakh Remarks, if any al year (a copy of the
10.	Assessment Year 2016-17 2017-18 2018-19 Balance Sheet & PL Account balance sheet statement for the beautiness of the Deale turnover of the Deale turnover statement for the beautiness of the Deale turnover statement for the Deal	er/Manufacelow three eattached) And the statement the below	cturer for the three fire	in Lakh)	nancia	Average > 50 Lakh Remarks, if any al year (a copy of the ately to be attached):
10.	Annual turnover of the Deale turnover statement for the be chartered accountant, to be a Assessment Year 2016-17 2017-18 2018-19 Balance Sheet & PL Accountance sheet statement for Financial Year	er/Manufacelow three eattached) And the statement the below	cturer for the three fire	in Lakh)	nancia	Average > 50 Lakh Remarks, if any al year (a copy of the ately to be attached):

	IT return for the last three assessment year (a copy of the statement for the below three assessment year separately to be attached):					
12.	Assessment Year	Amount (₹	t in Lakh)	Remarks, if any		
	2017-18					
	2018-19					
	2019-20					
13.	Details of the Bidder must have satisfactorily supplied & completed installation of similar type of Instrument at-least 02 nos. in any Govt. Organisations/PSU/Corporate Sectors during the last 5 years.(Separate copies of related document should be separately uploaded)					
SI. No	Details of Parties along with telephone and fax no. & e		Price of the Equipment (in ₹)	Name of the Equipment Supplied		
01.						
02.						
14.	Self-declaration of No pending litigation					
15.	Self-declaration statement for bidder not debarred/blacklisted or banned from any Central Government / PSU / State Govt. / any Corporate Sector.					
16.	The bidder shall have local office/infrastructure to attend visit within 48 hours.(Mention in details)					
17.	Bidder shall have any relatives working with CIPET, if any give their name, designation & address.					
18.	The bidder should sign & se document and required to up		e tender	CS		

DECLARATION

Ison/daughter/wife of Shri/Smt	•
Proprietor/Director/Authorised Signatory of the Manufacturer/D competent to sign this declaration and execute this tender document.	
I have carefully read and understood all the terms and conditions undertake to abide by them.	laid down in the tender and
The information/documents furnished along with the above be authenticate to the best of my knowledge and belief. I am well awar any false information/fabricated document would lead to rejection of besides liabilities towards prosecution under appropriate law.	e of the fact that furnishing of
	ature of the authorized person)
)

CIPET सि पे ट probe · perform · practice · Plastics