

CIPET: IPT -JAIPUR
SP-1298, Phase-III, Sitapura Industrial Area, Jaipur-302022
Phone No.: 9662727434/ 9937872419

E-mail: cipetiptjaipur@cipet.gov.in, cipeiptjaipur@gmail.com Website: cipet.gov.in

Price Bid

Name of Firm:

EOI for Organizing inaugural Ceremony of CIPET : IPT - Jaipur

S. No.	Particulars	Qty.	Unit	Rate	Amount
(A)	STAGE & SEATING ARRANGEMENTS				
1	Head Table & VIP Chairs	09	Nos		
2	Tower A.C. having capacity of 3.5 tons for Stage and VIP Lounge	4	Nos.		
3	Podium Stand with logo	1	Nos.		
(B)	ARRANGEMENT FOR CONDUCTING VIDEOCONFERENCING SESSION FROM OUTSIDE NICNET / OVER INTERNET (As per Annexure -A)		Lumpsum		
(C)	TENTAGE				
4	Banquet chairs with white covers and bows	200	Nos.		
5	Flags with pole	100	Nos.		
6	Fire Extinguisher	2	Nos.		
7	Welcome Gate	1	Nos.		
8	Carpet (actual to be measured)	2500	sq. ft.		
9	Carpet runner	1000	sq. ft.		
10	Sofa's two seater with white covers for reserved seating of Special Guests/VIP seating (front two rows)	10	Nos.		
11	White side wall 08 feet height, 300 feet length	2400	sq. ft.		
(D)	SIGNAGE & DECORATION				
12	Stage backdrop multicolored with framing behind the main stage (size 30 ft. x 10 ft.)	1	Nos.		
13	Vertical Welcome backdrop with framing multicolored at the main entrance gate (size 10 ft. K 08 ft.)	2	Nos.		
14	Indication arrow	10	Nos.		
15	LED T.V.	1	Nos.		
16	Banner with framing size as per 8 ft. x 4 ft. to be placed on the right & left side of the path way	4	Nos.		
17	Banner with framing as per size specified	50	Sets		
(E)	PA SYSTEM				
18	Standby Silent Generator of 125 kva	1	Nos.		
19	Diesel Charges per hour	4	Hours		
20	Podium Mic	1	Nos.		
21	Dice Mic	1	Nos.		
22	Complete Sound System with Audio console and 04 nos. of speakers	1	Set		
(F)	LICHTING ARRANGEMENTS				
23	Lights – Decoration – As per requirements				
24	Welcoming of delegates with folk music & dance of Rajasthan				
25	Professional Anchor (Female)	1	Nos.		

CIPET: IPT -JAIPUR
SP-1298, Phase-III, Sitapura Industrial Area, Jaipur-302022

Phone No.: 9662727434/ 9937872419

E-mail: cipetiptjaipur@cipet.gov.in, cipeiptjaipur@gmail.com Website: cipet.gov.in

Price Bid

Name of Firm:

EOI for Organizing inaugural Ceremony of CIPET : IPT - Jaipur

S. No.	Particulars	Qty.	Unit	Rate	Amount
26	Niwar Patti (Decorative Lights)	50	Nos.		
27	LED PAR (Building Floating)/ LED RGB	40	Nos.		
28	Bheem PAR- 1000 wt.	40	Nos.		
29	T-Stand/ Stand for decorative lights	10	Nos.		
(G)	FLORAL DECORATION				
30	Stage and its backdrop, Dias, VIP entry, Rangoli, Main entry gate, VIP Lounge, & Bouquet 03 VIP + 10 others		Lumpsum		
(H)	PHOTOGRAPHY & VIDEOGRAPHY				
31	Still Photographs & soft copies of the photos	200	Nos.		
32	Video Recording of the Event	2	MO.		
Total					
Add: Taxes					
Add: Other Charges (if any)					
TotalAmount					
(I)	CATERING ARRANGEMENT OPTIONAL				
33	Lunch Arrangement	200	Nos.		
34	Lunch Packets	100	Nos.		
35	High Tea	150	Nos.		
	Pl. submit your menus and rate for item no. 33,34 &35				
Total					
Add: Taxes					
Add: Other Charges (if any)					
Total Amount					
Total Amount (in words):					
Note:					
1. Any other items/specific requirement during function will be provided by EOI bidder.					
2. Requirement for conducting Video Conferencing session from outside NICNET /Over Internet attached as Annexure-A					
3. Rates to be quoted in the price bid as attached. Particulars of quantities may increase or decrease based on the requirement. Payment shall be made based on the actual quantity Provided during the event					
Date:			Seal & Signature of the Firm		

Annexure-A

REQUIREMENT FOR CONDUCTING VIDEOCONFERENCING
SESSION FROM OUTSIDE NICNET / OVER INTERNET

A. Network Connectivity

a. 10 Mbps Internet Leased Line (ILL circuit) / Leased lines from any other network services providers with a Public IP address over Fiber connection with suitable adapter for providing RJ-45 (Ethernet connection).

NOTE: 1. Broadband connection, Wi-Fi Connectivity or RF Radio link are not suitable for Videoconferencing
2. Any Extensions of networks over Wi-Fi networks for primary connectivity is not suitable. Do not share this bandwidth for other applications.

b. Backup link of at least 4 Mbps or more capacity Internet leased / Internet line from different service providers over Fiber connection with suitable adapter for providing RJ- 45 (Ethernet connection).

Or

4 Mbps leased Line to nearest NIC centre (subjected to feasibility and availability of Router ports at NIC Centre)

c. Network Components such as Routers, Ethernet Switches etc. if required for establishing network connectivity shall be also be considered.

d. Network connectivity at the site of the event shall be available two days before of the event (20th Nov.). All the testing should be completed one day before the event

B. Audio Visual and Videoconferencing equipment

1. High Definition (HD) 1080p30/1080p60 Videoconferencing equipment or better (Cisco /Life-size/Polycom/Sony or equivalents which has direct HDMI Video out and HDMI Video Inputs) to work on IP (H.323/SIP Compliant) with support to connect two or more cameras through HDMI Video inputs.

2. External Video Cameras with Camera men as per the requirements of the event coverage. Generally 2to4Cameras will berequired (requirement of additional cameras depends on the site conditions and number of participants and layout of the event location).

3. *by* Converter required for HD Cameras/Mixers (such as HD-SDI to HDMI) for converting to HD1080p30 standard.

4. 1 No. of Laptop numbers of latest configuration will be require for on figuration and management of the event.

5. 40"/50" or bigger size LED Monitor 2 / TV (with HDMI Input) 2 nos. for viewing by dignitaries from dais. These units shall be placed opposite to Dias.

6. 2 or more nos. of Large size LED Wall/screen /Projectors (or more numbers based on the event location) for Audience. LED walls are optional and would be required for outdoor events.

7. 2 Nos. of additional 32'/40" LCD TVs with HDMI input for Control Station (Optional).

8. 2 Nos. of Video Mixer for selected number of cameras with suitable interface to connect to Videoconferencing system. (Generally HDMI output of 720p/1080p resolution -2nos.).

9. Video Distributor with HDMI input and HDMI for 1080p resolutions output for connection to large screen displays.

10. Audio Mixer - 2 nos. with sufficient connecting cables. Mixer should have options to cut-off any input and adjust the level of the inputs. It should have at least one additional line level input (RCA/Phono) and one line level (RCA/Phono) to connect Videoconferencing system.

11. PA system with suitable no. of Microphones for Dies/Stage and 3-4 additional Cordless microphones for interaction with audience, if required.

12. PA system shall provide suitable input and output to interfacing with Videoconferencing system. If any of the equipment is already being used for local. Functions may also be shared.

C. Audio Visual and Videoconferencing equipment

1. SKVA Online UPS with 1 hour backup VC equipment. (Size of UPS may depend on the number of displays and other equipment installed at site).
2. Suitable Generator backup for Power supply (for outside events).
3. Extension boards with 5 Ampere sockets (as per site requirements).

D. Other logistics.

1. A Nodal officer may nominate for this event and with NIC officers to coordinate with various agencies involved.
2. Transportation / Vehicle may be arranged for visiting and testing during initial site visits/testing/setups and also on actual event. (for Local Delhi/NCR events Only).
3. A Mobile Phone/Land line (preferred) connection to communicate with the VC Control room at New Delhi from the event location.

1. Total number of audience expected: _____

2. Any interaction proposed with PM _____

3. Lease line connectivity of 10 Mbps with Ethernet (RJ-45) output:

Name of the Service Provider: _____

IP Address: _____

4. Backup leased line connectivity of 4 Mbps (min)

Name of the Service Provider: _____

IP Address : _____

5. Make and Model of Videoconferencing System being used as main equipment.

Make _____ Model _____

6. Make and Model of Videoconferencing System being used as backup equipment:

Make _____ Model _____


7. Availability of UPS? Yes / NO

Capacity _____ KVA Duration of Backup _____

8. Number of Display Monitor proposed: _____

9. Number of Cameras Proposed : _____

10. Audio systems / PA Systems in place: _____



NIC
NET
or